Studies Cited in Reviews of Female Reproductive Toxicity of Bisphenol A That OEHHA Was Unable To Retrieve

BUA. (1995) BUA Report 203. Bisphenol-A (2,2-Bis-(4-hydroxy-phenyl)propane). German Chemical Society.

Central Toxicology Laboratory. (1999) Bisphenol-A: Uterotrophic Assay in Immature Rats (Oral Dosing). CTL Unpublished Report No: CTL/P/6029.

Chemical Compound Safety Research Institute. (2000) Two-Generation Reproduction Study of Bisphenol-A in Rats. Chemical Compound Safety Research Institute Unpublished Report - Study No: SR-98101.

Funabashi T, Nakamura TJ and Kimura F. (2004) p-Nonylphenol, 4-tertoctylphenol and bisphenol A increase the expression of progesterone receptor mRNA in the frontal cortex of adult ovariectomized rats. J Neuroendocrinol, **16**: 99-104.

General Electric. (1978) Reproductive and Ninety Day Oral Toxicity Study in Rats. Unpublished Report of General Electric (IRDC study 313-112).

General Electric. (1976) Reproduction and ninety day oral toxicity study in rats. Report number **313-078**: 1-50. (CERHR)

General Electric. (1978) Reproduction and ninety day feeding study in rats. Report number **313-112**: 1-80. (CERHR)

Michna H. (2000) Report of the Effects of Bisphenol-A on the Growth of Prostate, Seminal Vesicle, Kidney and Liver in the Rat: (Anti-)Androgen Test. Institute of Morphology and Tumour Research, DSHS Cologne.

Schwetz BA, Rao KS and Park CN. (1980) Insensitivity of tests for reproductive problems. J Environ Pathol Toxicol, **3**(5-6): 81-98.

Sharpe RM, Majdic G, Fischer J, Parte P, Millar MR and Saunders PTK. (1996) Effects on testicular development and function. 10th International Congress of Endocrinology, June 12-15, 1996. San Francisco, CA. S23-S24.

Smith KD, Rodriguez-Rigau LJ and Steinberger E. (1977) Relation between indices of semen analysis and pregnancy rate in infertile couples. Fertil Steril, **28**(12): 1314-1319.

Tyl RW, Myers CB and Marr MC. (2004) Rangefinding study for the two-generation reproductive toxicity evaluation of 17β-estradiol (E2, CAS no. 50-28-2) administered in the feen to CD-1® Swiss mice (modified OECD 416). Research Triangle Park, NC, RTI International.

Tyl RW, Myers CB and Marr MC. (2005) Thirteen-week rangefinding study for the two-generation reproductive toxicity evaluation of bisphenol A (BPA; CAS 80-05-7) administered in the feed to CD-1® (Swiss) mice. Research Triangle Park, NC, RTI International.