Office of Environmental Health Hazard Assessment



Joan E. Denton, Ph.D., Director Headquarters • 1001 I Street • Sacramento, California 95814 Mailing Address: P.O. Box 4010 • Sacramento, California 95812-4010 Oakland Office • Mailing Address: 1515 Clay Street, 16th Floor • Oakland, California 94612





Arnold Schwarzenegger Governor

MEMORANDUM

- TO: Terry Tamminen Agency Secretary
- FROM: Joan E. Denton, Ph.D. Director
- **DATE:** August 2, 2004

ADOPTION OF UNIT RISK VALUE FOR NAPHTHALENE **SUBJECT:**

In accordance with Health and Safety Code, Section 44300 et seq. (The Air Toxics Hot Spots Information and Assessment Act, AB 2588, Connelly as amended by SB 1731, Calderon), the Office of Environmental Health Hazard Assessment (OEHHA) hereby adopts a unit risk value for naphthalene of 3.4 x 10^{-5} (µg/m³)⁻¹ and slope factor of 1.2 x 10^{-1} (mg/kg-day)⁻¹. These values are based on data for incidence of nasal respiratory epithelial adenoma and nasal olfactory epithelial neuroblastoma in male rats. They are to be used in the Air Toxics Hot Spots and Toxic Air Contaminant (TAC) programs for estimating the cancer risk associated with inhalation exposures to naphthalene. The attached document, which has undergone public and peer review, and was approved by the Scientific Review Panel for Toxic Air Contaminants, describes the derivation of these values.

Naphthalene is a common air pollutant; it is an industrial intermediate and a component of some fuels, and is produced by combustion of hydrocarbon fuels. Naphthalene is already identified as a TAC as a result of its listing as a U.S. Hazardous Air Pollutant. For assessment of non-cancer effects, a Chronic Reference Exposure Level was adopted in 2000. Naphthalene was listed as a chemical known to the State of California to cause cancer on April 19, 2002, and was classified as Group 2B (possibly carcinogenic to humans) by the International Agency for Research on Cancer in 2002. A recent study (NTP, 2000) in rats was found to show clear evidence of a carcinogenic effect, resolving the previous uncertainties and upgrading the body of data available to a level that allows satisfactory cancer risk assessment. Accordingly, and in view of the importance of naphthalene as an air pollutant, OEHHA has developed a cancer unit risk value for use in the Hot Spots and TAC programs.

Terry Tamminen August 2, 2004 Page 2

The document consists of two parts. A toxicity summary is provided, which forms an addendum to OEHHA's Part II Technical Support Document for the Air Toxics Hot Spots program. An introductory section provides background information on naphthalene toxicity, emissions and regulatory treatment, beyond what is contained in the toxicity summary in the Technical Support document.