

**References on the Female Reproductive Toxicity of Bisphenol A
provided to the Developmental and Reproductive Toxicant Identification
Committee (DARTIC)**

February 2015

Aafjes JH, Vels JM and Schenck E. (1980) Fertility of rats with artificial oligozoospermia. J Reprod Fertil, **58**(2): 345-351.

Adewale HB, Jefferson WN, Newbold RR and Patisaul HB. (2009) Neonatal bisphenol-A exposure alters rat reproductive development and ovarian morphology without impairing activation of gonadotropin-releasing hormone neurons. Biol Reprod, **81**: 690-699.

Aghajanova L and Giudice LC. (2011) Effect of bisphenol A on human endometrial stromal fibroblasts *in vivo*. Reprod Biomed Online, **22** (3): 249-256.

Akingbemi BT, Sottas CM, Koulova AI, Klinefelter GR and Hardy MP. (2004) Inhibition of testicular steroidogenesis by the xenoestrogen bisphenol A is associated with reduced pituitary luteinizing hormone secretion and decreased steroidogenic enzyme gene expression in rat Leydig cells. Endocrinology, **145**: 592-603.

Aldad TS, Rahmani N, Leranath C and Taylor HS. (2011) Bisphenol-A exposure alters endometrial progesterone receptor expression in the nonhuman primate. Fertil Steril, **96**: 175-179.

Al-Hiyasat AS, Darmani H and Elbetieha AM. (2002) Effects of bisphenol A on adult male mouse fertility. Eur J Oral Sci. **110**: 163-167.

Al-Hiyasat AS, Darmani H and Elbetieha AM. (2004) Leached components from dental composites and their effects on fertility of female mice. European Journal of Oral Sciences, **112**(3): 267-72.

Aloisi AM, Seta DD, Rendo C, Ceccarelli I, Scaramuzzino A and Farabollini F. (2002) Exposure to the estrogenic pollutant bisphenol A affects pain behavior induced by subcutaneous formalin injection in male and female rats. Brain Res, **937**: 1-7

An BS, Ahn HJ, Kang HS, Jung EM, Yang H, Hong EJ and Jeung EB. (2013) Effects of estrogen and estrogenic compounds, 4-tert-octylphenol, and bisphenol A on the uterine contraction and contraction-associated proteins in rats. Mol Cell Endocrinol, **375**: 27-34.

An BS, Choi KC, Kang SK, Hwang WS and Jeung EB. (2003) Novel Calbindin-D9k protein as a useful biomarker for environmental estrogenic compounds in the uterus of immature rats. Reproductive Toxicology, **17**(3): 311-319.

Ashby J and Odum J. (1998) The importance of protocol design and data reporting to research on endocrine disruption. Environ. Health Perspect, **106**: 315-316.

Ashby J, Tinwell H and Haseman J. (1999) Lack of effects for low dose levels of bisphenol A and diethylstilbestrol on the prostate gland of CF1 mice exposed *in utero*. Regul Toxicol Pharmacol , **30**:156-166.

Ashby J and Tinwell H. (1998) Uterotrophic activity of bisphenol A in the immature rat. Environ Health Perspect, **106**(11): 719-720.

Ashby J and Odum J. (2004) Gene expression changes in the immature rat uterus: effects of uterotrophic and sub-uterotrophic doses of bisphenol A. Toxicol Sci, **82**(2): 458-467.

Ashby J and Lefevre PA. (2000) The peripubertal male rat assay as an alternative to the Hershberger castrated male rat assay for the detection of anti-androgens, estrogens and metabolic modulators. J Appl Toxicol, **20**(1): 35-47.

Ashby J, Tinwell H, Odum J and Lefevre P. (2004) Natural Variability and the Influence of Concurrent Control Values on the Detection and Interpretation of Low-Dose or Weak Endocrine Toxicities. Environmental Health Perspectives, **112**(8): 847-853.

Ashby J, Odum J, Paton D, Lefevre PA, Beresford N and Sumpter JP. (2000) Re-evaluation of the first synthetic estrogen, 1-keto-1,2,3, 4-tetrahydrophenanthrene, and bisphenol A, using both the ovariectomised rat model used in 1933 and additional assays. Toxicol Lett, **115**(3): 231-238.

Atanassova N, McKinnell C, Turner KJ, Walker M, Fisher JS, Morley M, Millar MR, Groome NP and Sharpe RM. (2000) Comparative effects of neonatal exposure of male rats to potent and weak (environmental) estrogens on spermatogenesis at puberty and the relationship to adult testis size and fertility: evidence for stimulatory effects of low estrogen levels. Endocrinology, **141**: 3898–3907.

Bagot CN, Kliman HJ and Taylor HS. (2001) Maternal Hoxa10 is required for pinopod formation in the development of mouse uterine receptivity to embryo implantation. Dev Dyn, **222**(3): 538-544.

Benachour N and Aris A. (2009) Toxic effects of low doses of Bisphenol-A on human placental cells. Toxicol Appl Pharmacol, **241**: 322-328.

Berger RG, Foster WG and DeCatanzaro D. (2010) Bisphenol-A exposure during the period of blastocyst implantation alters uterine morphology and perturbs measures of estrogen and progesterone receptor expression in mice. Reprod Toxicol, **30**: 393-400.

Berger RG, Shaw J and deCatanzaro D. (2008) Impact of acute bisphenol-A exposure upon intrauterine implantation of fertilized ova and urinary levels of progesterone and 17betaestradiol. Reprod Toxicol, **26**: 94-99.

Berger RG, Hancock T and deCatanzaro D. (2007) Influence of oral and subcutaneous bisphenol-A on intrauterine implantation of fertilized ova in inseminated female mice. Reprod Toxicol, **23**(2): 138-144.

Biegel LB, Flaws JA, Hirshfield AN, O'Connor JC, Elliott GS, Ladics GS, Silbergeld EK, Van Pelt CS, Hurtt ME, Cook JC and Frame SR (1998). 90-Day feeding and one-generation reproduction study in Crl:CD BR rats with 17β-estradiol. Toxicol Sci, **44**: 116-142.

Bitman J and Cecil HC (1970). Estrogenic activity of DDT analogs and polychlorinated biphenyls. J Agr Food Chem, **18**: 1108-1112.

Bloom MS, Kim D, vom Saal FS, Taylor JA, Cheng G, Lamb JD and Fujimoto VY. (2011) Bisphenol A exposure reduces the estradiol response to gonadotropin stimulation during *in vivo* fertilization. Fertil Steril, **96**: 672-677.

Bolon B, Bucci TJ, Warbritton AR, Chen JJ, Mattison DR and Heindel JJ. (1997) Differential follicle counts as a screen for chemically induced ovarian toxicity in mice: results from continuous breeding bioassays. Fundam Appl Toxicol, **39**(1): 1-10.

Bond GP, McGinnis PM, Cheever KL, Harris SJ, Plotnick HB and Niemeier RW (1980). Reproductive effects of bisphenol-A. Society of Toxicology 19th Annual Meeting, March 9-13, Washington D.C., Abstracts of papers: A23.

Bornmann G and Loeser A. (1959) Monomer-Polymer Studie uber Kunststoffe aus ε - Caprolactam oder Bisphenol. Arzneim Forsch, **9**: 9-13.

Bosquiazzo VL, Varayoud J, Munoz-de-Toro M, Luque EH, Ramos JG. (2010) Effects of neonatal exposure to bisphenol A on steroid regulation of vascular endothelial growth factor expression and endothelial cell proliferation in the adult rat uterus. Biol Reprod, **82**: 86-95.

Bredhult C, Sahlin L and Olovsson M. (2009) Gene expression analysis of human endometrial endothelial cells exposed to Bisphenol A. Reprod Toxicol, **28**: 18-25.

Bredhult C, Bäcklin BM and Olovsson M. (2007). Effects of some endocrine disruptors on the proliferation and viability of human endometrial endothelial cells in vitro. Reprod Toxicol, **23**(4): 550-559.

Brieño-Enríquez MA, Reig-Viader R, Cabero L, Toran N, Martínez F, Roig I, Garcia Caldés M. (2012) Gene expression is altered after bisphenol A exposure in human fetal oocytes *in vivo*. Mol Hum Reprod, **18**: 171-183.

Brieño-Enríquez MA, Robles P, Camats-Tarruella N, García-Cruz R, Roig I, Cabero L, Martínez F and Caldés MG. (2011) Human meiotic progression and recombination are affected by bisphenol A exposure during *in vivo* human oocyte development. Hum Reprod, **26**: 2807-2818.

Bromer JG, Zhou Y, Taylor MB, Doherty L and Taylor HS. (2010) Bisphenol-A exposure in utero leads to epigenetic alterations in the developmental programming of uterine estrogen response. FASEB J, **24**: 2273-2280.

Brotans JA, Olea-Serrano MF, Villalobos M, Pedraza V and Olea N. (1995) Xenoestrogens released from lacquer coatings in food cans. Environ Health Perspect, **103**(6): 608-612.

Buck Louis GM, Peterson CM, Chen Z, Croughan M, Sundaram R, Stanford J, Varner MW, Kennedy A, Giudice L, Fujimoto VY, Sun L, Wang L, Guo Y and Kannan K. (2013) Bisphenol A and phthalates and endometriosis: the Endometriosis: Natural History, Diagnosis and Outcomes Study. Fertil Steril, **100**:162-169.

Cabaton NJ, Wadia PR, Rubin BS, Zalko D, Schaeberle CM, Askenase MH, Gadbois JL, Tharp AP, Whitt GS, Sonnenschein C and Soto AM. (2011) Perinatal exposure to environmentally relevant levels of bisphenol A decreases fertility and fecundity in CD-1 mice. Environ Health Perspect, **119**: 547-552.

Cagen SZ, Waechter JM, Dimond SS, Breslin WJ, Butala JH, Jekat FW, Joiner RL, Shiotsuka RN, Veenstra GE and Harris LR (1999). Normal reproductive organ development in Wistar rats exposed to bisphenol-A in the drinking water. Reg Tox Pharmacol, **30**: 130-139.

Campbell NR. (1940) Molecular structure in relation to oestrogenic activity: derivatives of 4:4'- dihydroxydiphenylmethane. Proc Roy Soc (Ser B), **129**: 528-538.

Can A, Semiz O and O Cinar. (2005) Bisphenol-A induces cell cycle delay and alters centrosome and spindle microtubular organization in oocytes during meiosis. Molecular Human Reproduction, **11**(6): 389-396.

Cantonwine D, Meeker JD, Hu H, Sánchez BN, Lamadrid-Figueroa H, Mercado-García A, Fortenberry GZ, Calafat AM and Téllez-Rojo MM. (2010) Bisphenol A exposure in Mexico City and risk of prematurity: a pilot nested case control study. Environ Health, **9**: 62.

Ceccarelli I, Della Seta D, Fiorenzani P, Farabollini F and Aloisi AM. (2007) Estrogenic chemicals at puberty change ER α in the hypothalamus of male and female rats. Neurotoxicol Teratol, **29**:108-115.

Chao HH, Zhang XF, Chen B, Pan B, Zhang LJ, Li L, Sun XF, Shi QH, Shen W. (2012) Bisphenol A exposure modifies methylation of imprinted genes in mouse oocytes via the estrogen receptor signaling pathway. Histochem Cell Biol, **137**: 249-259.

Chapin RE, Adams J, Boekelheide K, Gray LE, Jr., Hayward SW, Lees PS, McIntyre BS, Portier KM, Schnorr TM, Selevan SG, Vandenberg JG and Woskie SR. (2008) NTP-CERHR Expert Panel Report on the Reproductive and Developmental Toxicity of Bisphenol A. Birth Defects Res B Dev Reprod Toxicol, **83**: 157-395.

Cobellis L, Colacurci N, Trabucco E, Carpentiero C, and Grumetto L. (2009) Measurement of bisphenol A and bisphenol B levels in human blood sera from healthy and endometriotic women. Biomed. Chromatogr, **23**: 1186-1190.

Coldham NG, Dave M, Sivapathasundaram S, McDonnell DP, Connor C and Sauer MJ. (1997) Evaluation of a recombinant yeast cell estrogen screening assay. Environ Health Perspect, **105**: 734-742.

Colerangle JB and Roy D. (1997) Profound effects of the weak environmental estrogen-like chemical bisphenol A on the growth of the mammary gland of Noble rats. J Steroid Biochem Mol Biol, **60**(1-2): 153-60.

Cooper RL, Goldman, JM and Vandenberg JG. (1993) Monitoring of the estrous cycle in the laboratory rodent by vaginal lavage. In: Heindel, J.J., Chapin, R.E. (Eds.), *Female Reproductive Toxicology. Methods Toxicol.*, Vol. 3B. Academic Press, pp. 45-56.

Cooper RL and Goldman JM. (1999) Vaginal Cytology. An evaluation and interpretation of reproductive endpoints for human health risk assessment. G. Daston and C. Kimmel. Washington, D.C., ILSI Press: 42-56.

Cooper RL and Kavlock RJ(1997). Endocrine disruptors and reproductive development: a weight-of-evidence overview. J Endocrinol, **152**(2): 159-166.

Cummings A. (1997) Estrogenicity of bisphenol-A and octylphenol measured via the delayed implanting rat model. Biology of Reproduction. **56**(Suppl 1): 146 (Abstract 256).

Daftary GS and Taylor HS. (2004) Pleiotropic effects of Hoxa10 on the functional development of peri-implantation endometrium. Mol Reprod Dev, **67**(1): 8-14.

DeCatanzaro D, Berger RG, Guzzo AC, Thorpe JB and Khan A. (2013) Perturbation of male sexual behavior in mice (*Mus musculus*) within a discrete range of perinatal bisphenol-A doses in the context of a high-or low-phytoestrogen diet. Food Chem Toxicol, **55**: 164-171.

Della Seta D, Minder I, Belloni V, Aloisi AM, Dessi-Fulgheri F and Farabollini F. (2006) Pubertal exposure to estrogenic chemicals affects behavior in juvenile and adult male rats. Horm Behav, **50**: 301-307.

Della Seta D, Minder I, Dessi-Fulgheri F and Farabollini F. (2005) Bisphenol-A exposure during pregnancy and lactation affects maternal behavior in rats. Brain Research Bulletin, **65**(3): 255-260.

Dessi-Fulgheri F, Porrini S and Farabollini F. (2002) Effects of perinatal exposure to bisphenol A on play behavior of female and male juvenile rats. Environ Health Perspect, **110**(Suppl 3), 403-407.

Dodds EC and Lawson W. (1936) Synthetic oestrogenic agents without the phenanthrene nucleus. Nature, **137**: 996.

Dodds EC and Lawson W. (1938) Molecular structure in relation to oestrogenic activity. Compounds without a phenanthrene nucleus. Proc Roy Soc, **B125**: 222-232.

Dodge JA, Glasebrook AL, Magee DE, Philips DL, Sato M, Short LL and Bryant HU. (1996) Environmental estrogens: Effects on cholesterol lowering and bone in the ovariectomised rat. J Steroid Biochem Molec Biol, **59**: 155-161.

Domoradzki JY, Thornton CM, Pottenger LH, Hansen SC, Card TL, Markham DA, Dryzga MD, Shiotsuka RN, Waechter JM, Jr. (2004) Age and dose dependency of the pharmacokinetics and metabolism of bisphenol A in neonatal Sprague-Dawley rats following oral administration. Toxicol Sci, **77**: 230-242.

Durando M, L Kass, J Piva, C Sonnenschein, A Soto, E Luque and M Muñoz-de-Toro. (2007) Prenatal bisphenol A exposure induces preneoplastic lesions in the mammary gland in Wistar rats. Environmental Health Perspectives, **115**(1): 80-86.

EC SCF. (2002) European Commission (2002) Final opinion of the Scientific Committee on Food on Bisphenol A (Expressed on 17 April 2002) SCF/CS/PM/3936. http://ec.europa.eu/food/fs/sc/scf/out128_en.pdf

EFSA Opinion of the Scientific Panel on Food Additives, Flavourings, Processing Aids and Materials in Contact with Food on a request from the Commission related to 2,2-BIS(4-HYDROXYPHENYL)PROPANE (Bisphenol A). Question number EFSA-Q-2005-100. Adopted on 29 November 2006. EFSA Journal, **428**: 1-75.

Ehrlich S, Williams PL, Hauser R, Missmer SA, Peretz J, Calafat AM and Flaws JA. (2013) Urinary bisphenol A concentrations and cytochrome P450 19 A1 (*Cyp19*) gene expression in ovarian granulosa cells: an *in vivo* human study. Reprod Toxicol, **42**: 18-23.

Ehrlich S, Williams PL, Missmer SA, Flaws JA, Berry KF, Calafat AM, Ye X, Petrozza JC, Wright D and Hauser R. (2012) Urinary Bisphenol A concentrations and implantation failure among women undergoing in vitro fertilization. Environ Health Perspect, **120**(7): 978-983.

Ehrlich S, Williams PL, Missmer SA, Flaws JA, Ye X, Calafat AM, Petrozza JC, Wright D and Hauser R. (2012) Urinary bisphenol A concentrations and early reproductive health outcomes among women undergoing IVF. Hum Reprod, **27**: 3583-3592.

Eichenlaub-Ritter U, Vogt E, Cukurcam S, Sun F, Pacchierotti F and Parry J. (2008) Exposure of mouse oocytes to bisphenol A causes meiotic arrest but not aneuploidy. Mutat Res, **651**: 82-92.

Elswick BA, Welsch F and Janszen DB. (2000) Effect of different sampling designs on outcome of endocrine disruptor studies. Reprod Toxicol, **14**: 359–367.

Ema M, S Fujii, M Furukawa, M Kiguchi, T Ikka and A Harazono. (2001) Rat two-generation reproductive toxicity study of bisphenol A. Reprod Toxicol, **15**(5): 505-523.

European-Union. (2003) Risk Assessment Report – 4,4'-isopropylidenediphenol (Bisphenol A). Available at http://ecb.jrc.it/DOCUMENTS/Existing-Chemicals/RISK_ASSESSMENT/REPORT/bisphenolareport325.pdf.

Evans NP, North T, Dye S, Sweeney T. (2004) Differential effects of the endocrine-disrupting compounds bisphenol-A and octylphenol on gonadotropin secretion, in prepubertal ewe lambs. Domest Anim Endocrinol, **26**: 61-73.

Evans JS, Varney RF and Koch FC. (1941) The mouse uterine wet weight method for the assay of estrogens. Endocrinology, **28**: 747-752.

Farabollini F, Porrini S, Della Seta D, Bianchi F and Dessi-Fulgheri F. (2002) Effects of perinatal exposure to bisphenol A on sociosexual behavior of female and male rats. Environ Health Perspect, **110**(Suppl 3), 409-414.

Fernandez M, Bianchi M, Lux-Lantos V and Libertun C. (2009) Neonatal exposure to bisphenol A alters reproductive parameters and gonadotropin releasing hormone signaling in female rats. Environ Health Perspect, **117**: 757-762.

Fernandez M, Bourguignon N, Lux-Lantos V and Libertun C. (2010) Neonatal exposure to bisphenol A and reproductive and endocrine alterations resembling the polycystic ovarian syndrome in adult rats. Environ Health Perspect, **118**: 1217-1222.

Fitzgibbons PL, Henson DE and Hutter RV. (1998) Benign breast changes and the risk for subsequent breast cancer: an update of the 1985 consensus statement. Cancer Committee of the College of American Pathologists. Arch Pathol Lab Med, **122**: 1053-1055.

Fritz WA and Lamartiniere CA (1999). The influence of lifetime exposure to dietary bisphenol-A on the male rat reproductive tract. The Toxicologist, **48**: 46. Abstracts of papers: 217.

Fujimoto VY, Kim D, vom Saal FS, Lamb JD, Taylor JA and Bloom MS. (2011) Serum unconjugated bisphenol A concentrations in women may adversely influence oocyte quality during *in vivo* fertilization. Fertil Steril, **95**: 1816-1819.

Fujimoto T, Kubo K and Aou S. (2006) Prenatal exposure to bisphenol A impairs sexual differentiation of exploratory behavior and increases depression-like behavior in rats. Brain Res, **1068**: 49-55.

Fukumori N, Ogata A, Ando H Kubo Y, Yano N, Takahashi H, Nagasawa A, Yuzawa K, Yoshida S, Sakamoto Y, et al. (2001) Low-dose effects of bisphenol A on the uterine and vaginal ultrastructure of suckling female mice. Environmental Sciences, **8**(2-3): 268.

Funabashi T, Kawaguchi M, Furuta M, Fukushima A and Kimura F. (2004) Exposure to bisphenol A during gestation and lactation causes loss of sex difference in corticotropin-releasing hormone-immunoreactive neurons in the bed nucleus of the stria terminalis of rats. Psychoneuroendocrinology, **29**: 475-485.

Funabashi T, Kawaguchi M and Kimura F. (2001) The endocrine disrupters butyl benzyl phthalate and bisphenol A increase the expression of progesterone receptor messenger ribonucleic acid in the preoptic area of adult ovariectomized rats. Neuroendocrinology, **74**: 77-81.

Funabashi T, Nakamura TJ and Kimura F. (2004) p-Nonylphenol, 4-tert-octylphenol and bisphenol A increase the expression of progesterone receptor mRNA in the frontal cortex of adult ovariectomized rats. J Neuroendocrinol, **16**: 99-104.

Funabashi T, Sano A, Mitsushima D and Kimura F. (2003) Bisphenol A increases progesterone receptor immunoreactivity in the hypothalamus in a dose-dependent manner and affects sexual behaviour in adult ovariectomized rats. J Neuroendocrinol, **15**: 134-140.

Galloway T, Cipelli R, Guralnik J, Ferrucci L, Bandinelli S, Corsi AM, Money C, McCormack P and Melzer D. (2010) Daily bisphenol A excretion and associations with sex hormone concentrations: results from the InCHIANTI adult population study. Environ Health Perspect, **118**: 1603-1608.

Gioiosa L, Fissore E, Ghirardelli G, Parmigiani S and Palanza P. (2007) Developmental exposure to low-dose estrogenic endocrine disruptors alters sex differences in exploration and emotional responses in mice. Horm Behav, **52**: 307-316.

Goldman JM, Murr AS and Cooper RL. (2007) The rodent estrous cycle: characterization of vaginal cytology and its utility in toxicological studies. Birth Defects Res B Dev Reprod Toxicol, **80**(2): 84-97.

Goloubkova T, Ribeiro MF, Rodrigues LP, Ceconello AL and Spritzer PM. (2000) Effects of xenoestrogen bisphenol A on uterine and pituitary weight, serum prolactin levels and immunoreactive prolactin cells in ovariectomized Wistar rats. Arch Toxicol, **74**: 92-98.

Golub MS, Collman GW, Foster PM, Kimmel CA, Rajpert-De Meyts E, Reiter EO, Sharpe RM, Skakkebaek NE and Toppari J. (2008) Public health implications of altered puberty timing. Pediatrics, **121**(Suppl 3): S218-S230.

Goodman JE, McConnell EE, Sipes IG, Witorsch RJ, Slayton TM, Yu CJ, Lewis AS and Rhomberg LR. (2006) An updated weight of the evidence evaluation of reproductive and developmental effects of low doses of bisphenol A. Crit Rev Toxicol, **36**: 387-457.

Gould JC, Leonard LS, Maness SC, Wagner BL, Conner K, Zacharewski T, Safe S, McDonnell DP and Gaido KW. (1998) Bisphenol-A interacts with the estrogen receptor alpha in a distinct manner from estradiol. Molec. Cell Endocrinol, **142**: 203-214.

Gould JC, Liaw JJ, Elswick BA, Stedman DB, Turner M and Welsch F. (1998) Maternal effects and secretion into milk of low doses of bisphenol-A given to rats via drinking water. Toxicologist, **42**: 175, Abstracts of papers: 866.

Grasselli F, Baratta L, Baioni L, Bussolati S, Ramoni R, Grolli S and Basini G. (2010) Bisphenol A disrupts granulosa cell function. Domest Anim Endocrinol, **39**: 34-39.

Gray GM, Cohen JT, Cunha G, Hughes C, McConnell EE, Rhomberg L, Sipes IG and Mattison D. (2004) Weight of evidence evaluation of low-dose reproductive and developmental effects of bisphenol A. Human and Ecological Risk Assessment, **10**: 875-921.

Gupta C. (2000) Reproductive malformation of the male offspring following maternal exposure to estrogenic chemicals. Proc Soc Exp Biol Med, **224**: 61-68.

Hampton T. (2013) NIH panel: Name change, new priorities advised for polycystic ovary syndrome. JAMA, **309**: 863.

Hanaoka T, Kawamura N, Hara K and Tsugane S. (2002) Urinary bisphenol A and plasma hormone concentrations in male workers exposed to bisphenol A diglycidyl ether and mixed organic solvents. Occup Environ Med, **59**: 625-628.

Hines RN. (2008) The ontogeny of drug metabolism enzymes and implications for adverse drug events. Pharmacol Ther, **118**: 250-267.

Hiroi H, Tsutsumi O, Takeuchi T, Momoeda M, Ikezuki Y, Okamura A, Yokota H and Taketani Y. (2004) Differences in serum bisphenol a concentrations in premenopausal normal women and women with endometrial hyperplasia. Endocr J, **51**(6): 595-600.

Hiyama M, Choi EK, Wakitani S, Tachibana T, Khan H, Kusakabe KT and Kiso Y. (2011) Bisphenol-A (BPA) affects reproductive formation across generations in mice. J Vet Med Sci, **73**: 1211-1215.

Ho SM, Tang WY, Belmonte de Frausto J and Prins GS. (2006) Developmental exposure to estradiol and bisphenol A increases susceptibility to prostate carcinogenesis and epigenetically regulates phosphodiesterase type 4 variant 4. Cancer Res, **66**: 5624-5632.

Hong EJ, Choi KC and Jeung EB. (2005) Maternal exposure to bisphenol a during late pregnancy resulted in an increase of Calbindin-D9k mRNA and protein in maternal and postnatal rat uteri. J Reprod Dev, **51**: 499-508.

Hong EJ, Choi KC and Jeung EB(2003). Maternal-fetal transfer of endocrine disruptors in the induction of Calbindin-D9k mRNA and protein during pregnancy in rat model. Molecular and Cellular Endocrinology, **212**(1-2): 63-72.

Hong EJ, Choi KC, Jung YW, Leung PC and Jeung EB. (2004) Transfer of maternally injected endocrine disruptors through breast milk during lactation induces neonatal Calbindin-D9k in the rat model. Reproductive Toxicology, **18**(5): 661-8.

Honma S and Iguchi T. (2001) Prenatal effect of diethylstilbestrol and bisphenol A on female mouse reproduction. Environmental Sciences, **8**(2-3): 259-60.

Honma S, Suzuki A, Buchanan DL, Katsu Y, Watanabe H and Iguchi T. (2002). Low dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female mouse reproduction. Reprod Toxicol, **16**(2): 117-122.

Howdeshell KL, Furr J, Lambright CR, Wilson VS, Ryan BC and Gray LE, Jr. (2008) Gestational and lactational exposure to ethinyl estradiol, but not bisphenol A, decreases androgen-dependent reproductive organ weights and epididymal sperm abundance in the male Long Evans hooded rat. Toxicol Sci, **102**: 371-382.

Howdeshell, KL and FS vom Saal. (2000) Developmental exposure to bisphenol A: interaction with endogenous estradiol during pregnancy in mice. Am Zool, **40**(3): 429-437.

Howdeshell KL, Hotchkiss AK, Thayer KA, Vandenberg JG and vom Saal FS. (1999) Exposure to bisphenol A advances puberty. Nature, **401**(6755): 763-764.

Howdeshell KL, Peterman PH, Judy BM, Taylor JA, Orazio CE, Ruhlen RL, vom Saal FS and Welshons WV. (2003) Bisphenol A is released from used polycarbonate animal cages into water at room temperature. Environ Health Perspect, **111**(9): 1180-1187.

Hunt PA, Koehler KE, Susiarjo M, Hodges CA, Ilagan A, Voigt RC, Thomas S, Thomas BF and Hassold TJ. (2003) Bisphenol A exposures causes meiotic aneuploidy in the female mouse. Curr Biol, **13**: 546-553.

Hunt PA, Lawson C, Gieske M, Murdoch B, Smith H, Marre A, Hassold T and VandeVoort CA. (2012) Bisphenol A alters early oogenesis and follicle formation in the fetal ovary of the rhesus monkey. Proc Natl Acad Sci, **109**: 17525-17530.

Hunt PA and Hassold TJ. (2008) Human female meiosis: what makes a good egg go bad? Trends in Genetics, **24**(2): 86-93.

Iguchi T, Fukazawa Y, Uesugi Y and Taksugi N. (1990) Polyovular follicles in mouse ovaries exposed neonatally to diethylstilbestrolin vivo and in vitro. Biol Reprod, **43**: 478-484.

Itoh H, Iwasaki M, Hanaoka T, Sasaki H, Tanaka T and Tsugane S. (2007) Urinary bisphenol-A concentration in infertile Japanese women and its association with

endometriosis: A cross-sectional study. Environmental Health and Preventive Medicine, **12**(6): 258-264.

Iwasaki T and Totsukawa K. (2003) Change in sexual maturation and estrogen receptor expression in mouse fetuses exposed to bisphenol A. Environ Sci, **10**: 239-246.

Kandaraki E, Chatzigeorgiou A, Livadas S, Palioura E, Economou F, Koutsilieris M, Palimeri S, Panidis D and Diamanti-Kandarakis E. (2011) Endocrine disruptors and polycystic ovary syndrome (PCOS): elevated serum levels of bisphenol A in women with PCOS. J Clin Endocrinol Metab, **96**: E480-E484.

Kanno J, Onyon L, Haseman J, Fenner-Crisp P, Ashby J and Owens W. (2001) The OECD program to validate the rat uterotrophic bioassay to screen compounds for in vivo estrogenic responses: phase 1. Environ Health Perspect, **109**: 785-794.

Kato H, Furuhashi T, Tanaka M, Katsu Y, Watanabe H, Ohta Y and Iguchi T. (2006) Effects of bisphenol A given neonatally on reproductive functions of male rats. Reprod Toxicol, **22**: 20-29.

Kato H, Ota T, Furuhashi T, Ohta Y and Iguchi T. (2003) Changes in reproductive organs of female rats treated with bisphenol A during the neonatal period. Reprod Toxicol, **17**(3): 283-288.

Kawai K, Nozaki T, Nishikata H, Aou S, Takii M, and Kubo C. (2003) Aggressive behavior and serum testosterone concentration during the maturation process of male mice: the effects of fetal exposure to bisphenol A. Environ Health Perspect, **111**: 175-178.

Kawagoshi Y, Fujita Y, Kishi I, and Fukunaga I. (2003) Estrogenic chemicals and estrogenic activity in leachate from municipal waste landfill determined by yeast two-hybrid assay. Environmental Monitoring, **5**: 269-274.

Kawamoto Y, Matsuyama W, Morikawa M, Morita M, Sugimoto M, Manabe N and Morisawa S. (2005) Disposition of bisphenol A in pregnant mice and fetuses after a single and repeated oral administration. Toxicol Environ Chem, **87**(2): 199-213.

Keri RA, Ho SM, Hunt PA, Knudsen KE, Soto AM and Prins GS. (2007) An evaluation of evidence for the carcinogenic activity of bisphenol A. Reprod Toxicol, **24**: 240- 252.

Khurana S, Ranmal S and Ben-Jonathan N. (2000) Exposure of newborn male and female rats to environmental estrogens: delayed and sustained hyperprolactinemia and alterations in estrogen receptor expression. Endocrinology, **141**(12): 4512-4517.

Kim JC, Shin HC, Cha SW, Koh WS, Chung MK and Han SS. (2001) Evaluation of developmental toxicity in rats exposed to the environmental estrogen bisphenol A during pregnancy. Life Sci, **69**: 2611-2625.

Kobayashi K, Kubota H, Ohtani K, Hojo R and Miyagawa M. (2012) Lack of effects for dietary exposure of bisphenol A during in utero and lactational periods on reproductive development in rat offspring. J Toxicol Sci, **37**: 565-573.

Kobayashi K, Miyagawa M, Wang RS, Sekiguchi S, Suda M and Honma T. (2002) Effects of in utero and lactational exposure to bisphenol A on somatic growth and anogenital distance in F1 rat offspring. Ind Health, **40**: 375-381.

Kobayashi K, Ohtani K, Kubota H and Miyagawa M. (2010) Dietary exposure to low doses of bisphenol A: effects on reproduction and development in two generations of C57BL/6J mice. Congenit Anom, **50**: 159-170.

Kubo K, Arai O, Ogata R, Omura M, Hori T and Aou S. (2001) Exposure to bisphenol A during the fetal and suckling periods disrupts sexual differentiation of the locus coeruleus and of behavior in the rat. Neurosci Lett, **304**: 73-76.

Kubo K, Arai O, Omura M, Watanabe R, Ogata R and Aou S. (2003) Low dose effects of bisphenol A on sexual differentiation of the brain and behavior in rats. Neurosci Res, **45**: 345-356.

Kuroda N, Kinoshita Y, Sun Y, Wada M, Kishikawa N, Nakashima K, Makino T and Nakazawa H. (2003) Measurement of bisphenol A levels in human blood serum and ascitic fluid by HPLC using a fluorescent labeling reagent. J Pharm Biomed Anal, **30**: 1743-1749.

Kwon S, Stedman DB, Elswick BA, Cattley RC and Welsch F. (2000) Pubertal development and reproductive functions of Crl:CD BR Sprague-Dawley rats exposed to bisphenol A during prenatal and postnatal development. Toxicol Sci, **55**: 399-406.

Laviola G, Gioiosa L, Adriani W and Palanza P. (2005) D-Amphetamine-related reinforcing effects are reduced in mice exposed prenatally to estrogenic endocrine disruptors. Brain Res Bull, **65**: 235-240.

Laws SC, Carey SA, Ferrell JM, Bodman GJ and Cooper RL. (2000) Estrogenic activity of octylphenol, nonylphenol, bisphenol A and methoxychlor in rats. Toxicol Sci, **54**(1): 154-167.

Lawson C, Gieske M, Murdoch B, Ye P, Li Y, Hassold T, Hunt PA. (2011) Gene expression in the fetal mouse ovary is altered by exposure to low doses of bisphenol A. Biol Reprod, **84**: 79-86.

Lee SG, Kim JY, Chung JY, Kim YJ, Park JE, Oh S, Yoon YD, Yoo KS, Yoo YH and Kim JM. (2013) Bisphenol A exposure during adulthood causes augmentation of follicular atresia and luteal regression by decreasing 17beta-estradiol synthesis via downregulation of aromatase in rat ovary. Environ Health Perspect, **121**: 663-669.

Lee SH, Kang SM, Choi MH, Lee J, Park MJ, Kim SH, Lee WY, Hong J and Chung BC. (2014) Changes in steroid metabolism among girls with precocious puberty may not be associated with urinary levels of bisphenol A. Reprod Toxicol, **44**: 1-6.

Lenie S, Cortvrindt R, Eichenlaub-Ritter U and Smitz J. (2008) Continuous exposure to bisphenol A during *in vivo* follicular development induces meiotic abnormalities. Mutat Res, **651**: 71-81.

Li DK, Zhou Z, Qing D, He Y, Wu T, Miao M, Wang J, Weng X, Ferber JR, Herrinton LJ, Zhu Q, Gao E, Checkoway H and Yuan W. (2010) Occupational exposure to bisphenol-A (BPA) and the risk of self-reported male sexual dysfunction. Hum Reprod, **25**: 519-527.

Li Y, Zhang W, Liu J, Wang W, Li H, Zhu J, Weng S, Xiao S and Wu T. (2013) Prepubertal bisphenol A exposure interferes with ovarian follicle development and its relevant gene expression. Reprod Toxicol, **44**: 33-40.

Liaw JJ, Stedman D, Gould JC, Elswick B and Welsch F. (1998) Reproductive development in female rats prenatally and lactationally exposed to bisphenol-A. Toxicologist, **42**: 176, Abstracts of papers: 867.

Long X, Steinmetz R, Ben-Jonathan N, Caperell-Grant A, Young PC, Nephew KP and Bigsby RM. (2000) Strain differences in vaginal responses to the xenoestrogen bisphenol A. Environ Health Perspect, **108**(3): 243-247.

Machtinger R, Combelles CM, Missmer SA, Correia KF, Williams P, Hauser R and Racowsky C. (2013) Bisphenol-A and human oocyte maturation *in vitro*. Hum Reprod, **28**: 2735-2745.

Maekawa A, Yoshida M, Katsuda SI and Imai K. (2004). Toxicologic/carcinogenic Effects of Endocrine Disrupting Chemicals on the Female Genital Organs of Rodents. Journal of Toxicologic Pathology, **17**(2): 69-83.

Mangelsdorf I, Buschmann J, Orthen B. (2003) Some aspects relating to the evaluation of the effects of chemicals on male fertility. Regul Toxicol Pharmacol, **37**: 356-369.

Markey CM, Coombs MA, Sonnenschein C, and Soto AM. (2003) Mammalian development in a changing environment: exposure to endocrine disruptors reveals the developmental plasticity of steroid-hormone target organs. Evol Dev, **5**: 67-75.

Markey CM, Luque EH, Munoz De Toro M, Sonnenschein C and Soto AM. (2001) *In utero* exposure to bisphenol A alters the development and tissue organization of the mouse mammary gland. Biol Reprod, **65**: 1215-1223.

Markey CM, Michaelson CL, Veson EC, Sonnenschein C and Soto AM. (2001) The mouse uterotrophic assay: a reevaluation of its validity in assessing the estrogenicity of bisphenol A. Environ Health Perspect, **109**(1): 55-60.

Markey CM, Wadia PR, Rubin BS, Sonnenschein C and Soto AM. (2005) Long-term effects of fetal exposure to low doses of the xenoestrogen bisphenol-A in the female mouse genital tract. Biology of Reproduction, **72**(6): 1344-1351.

Maruyama S, Fujimoto N, Yin H and Ito A. (1999) Growth stimulation of a rat pituitary cell line MtT/E-2 by environmental oestrogens *in vitro* and *in vivo*. Endocrine J, **46**: 513-520.

Masutomi N, Shibutani M, Takagi H, Uneyama C, Lee KY and Hirose M. (2004) Alteration of pituitary hormone-immunoreactive cell populations in rat offspring after maternal dietary exposure to endocrine-active chemicals. Arch Toxicol, **78**: 232-240.

Matsumoto J, Yokota H and Yuasa A. (2002) Developmental increases in rat hepatic microsomal UDP-glucuronosyltransferase activities toward xenoestrogens and decreases during pregnancy. Environ Health Perspect, **110**: 193-196.

Matsumoto C, Miyaura C and Ito A. (2004) Dietary Bisphenol A Suppresses the Growth of Newborn Pups by Insufficient Supply of Maternal Milk in Mice. Journal of Health Science, **50**(3): 315-318.

Matsumoto J, Iwano H, Inoue H, Iwano N, Yamashiki N and Yokota H. (2007) Metabolic barrier against bisphenol A in rat uterine endometrium. Toxicol Sci, **99**(1): 118-125.

McLachlan JA and Newbold RR. (1987) Estrogens and development. Environ Health Perspect, **75**: 25-27.

Melnick R, Lucier G, Wolfe M, Hall R, Stancel G, Prins G, Gallo M, Reuhl K, Ho SM, Brown T, Moore J, Leakey J, Haseman J and Kohn M. (2002) Summary of the National Toxicology Program's report of the endocrine disruptors low-dose peer review. Environ Health Perspect, **110**: 427-431.

Mendoza-Rodriguez CA, Garcia-Guzman M, Baranda-Avila N, Morimoto S, Perrot-Appanat M and Cerbon M. (2011) Administration of bisphenol A to dams during perinatal period modifies molecular and morphological reproductive parameters of the offspring. Reprod Toxicol, **31**: 177-183.

Milligan SR, Balasubramanian AV and Kalita JC. (1998) Relative potency of xenobiotic estrogens in an acute *in vivo* mammalian assay. Environ Health Perspect, **106**: 23-26.

Miyakoda H, Tabata M, Onodera S and Takeda K. (2000) Comparison of conjugative activity, conversion of bisphenol A to bisphenol A glucuronide, in fetal and mature male rat. J Health Sci, **46**: 269-274.

Mohri T and Yoshida S. (2005) Estrogen and bisphenol A disrupt spontaneous [Ca(2+)](i) oscillations in mouse oocytes. Biochemical and Biophysical Research Communications, **326**(1): 166-173.

Mok-Lin E, Ehrlich S, Williams PL, Petrozza J, Wright DL, Calafat AM, Ye X and Hauser R. (2010) Urinary bisphenol A concentrations and ovarian response among women undergoing IVF. Int J Androl, **33**: 385-393.

Moral R, Wang R, Russo IH, Lamartiniere CA, Pereira J and Russo J. (2008) Effect of prenatal exposure to the endocrine disruptor bisphenol A on mammary gland morphology and gene expression signature. J Endocrinol, **196**(1): 101-112.

Morice L, Benaîtreau D, Dieudonné MN, Morvan C, Serazin V, de Mazancourt P, Pecquery R and Dos Santos E. 2011. Antiproliferative and proapoptotic effects of bisphenol A on human trophoblastic JEG-3 cells. Reprod Toxicol, **32**: 69-76.

Morrison AG, Callanan JJ, Evans NP, Aldridge TC and Sweeney T. (2003) Effects of endocrine disrupting compounds on the pathology and oestrogen receptor alpha and beta distribution in the uterus and cervix of ewe lambs. Domest Anim Endocrinol, **25**: 329-343.

Morrissey RE, Lamb JC 4th, Morris RW, Chapin RE, Gulati DK and Heindel JJ. (1989). Results and evaluations of 48 continuous breeding reproduction studies conducted in mice. Fundam Appl Toxicol, **13**(4): 747-777.

Morrissey RE, George JD, Price CJ, Tyl RW, Marr MC and Kimmel CA. (1987) The developmental toxicity of bisphenol A in rats and mice. Fundam Appl Toxicol, **8**: 571-582.

Muhlhauser A, Susiarjo M, Rubio C, Griswold J, Gorence G, Hassold T and Hunt PA. (2009) Bisphenol A Effects on the Growing Mouse Oocyte Are Influenced by Diet. Biol Reprod, **80**: 1066-1071.

Muñoz-de-Toro M, Markey C, Wadia P, Luque E, Rubin B, Sonnenschein C and Soto A. (2005) Perinatal exposure to bisphenol-A alters peripubertal mammary gland development in mice. Endocrinology, **146**(9): 4138-4147.

Murray TJ, Maffini MV, Ucci AA, Sonnenschein C and Soto AM. (2007) Induction of mammary gland ductal hyperplasias and carcinoma in situ following fetal bisphenol A exposure. Reprod Toxicol, **23**: 383-390.

Naciff JM, Hess KA, Overmann GJ, Torontali SM, Carr GJ, Tiesman JP, Foertsch LM, Richardson BD, Martinez JE, Daston GP. (2005) Gene expression changes induced in the testis by transplacental exposure to high and low doses of 17 α -ethynyl estradiol, genistein, or bisphenol A. Toxicol Sci, **86**: 396-416.

Naciff JM, Jump ML, Torontali SM, Carr GJ, Tiesman JP, Overmann GJ and Daston GP. (2002) Gene expression profile induced by 17 α -ethynyl estradiol, bisphenol A, and genistein in the developing female reproductive system of the rat. Toxicological Sciences, **68**(1): 184-199.

Nagao T, Saito Y, Usumi K, Kuwagata M and Imai K. (1999) Reproductive function in rats exposed neonatally to bisphenol-A and estradiol benzoate. Repro Toxicol, **13**: 303-311.

Nagao T, Saito Y, Usumi K, Yoshimura S, Ono H. (2002) Low-dose bisphenol A does not affect reproductive organs in estrogen-sensitive C57BL/6N mice exposed at the sexually mature, juvenile, or embryonic stage. Reprod Toxicol, **16**: 123-130.

Nagel SC, vom Saal FS, Thayer KA, Dhar MG, Boechler M and Welshons WV. (1997) Relative binding affinity-serum modified access (RBA-SMA) assay predicts the relative in vivo bioactivity of the xenoestrogens bisphenol A and octylphenol. Environ Health Perspect, **105**: 70-76.

Nah WH, Park MJ and Gye MC. (2011) Effects of early prepubertal exposure to bisphenol A on the onset of puberty, ovarian weights, and estrous cycle in female mice. Clin Exp Reprod Med, **38**: 75-81.

Nakamura K, Itoh K, Yaoi T, Fujiwara Y, Sugimoto T and Fushiki S. (2006) Murine neocortical histogenesis is perturbed by prenatal exposure to low doses of bisphenol A. J Neurosci Res, **84**: 1197-1205.

Nanjappa MK, Simon L and Akingbemi BT. (2012) The industrial chemical bisphenol A (BPA) interferes with proliferative activity and development of steroidogenic capacity in rat Leydig cells. Biol Reprod, **86**(5): 135,1-12.

Narita M, Miyagawa K, Mizuo K, Yoshida T, and Suzuki, T. (2007) Changes in central dopaminergic systems and morphine reward by prenatal and neonatal exposure to bisphenol-A in mice: evidence for the importance of exposure period. Addict Biol, **12**: 167-172

Negishi T, Kawasaki K, Suzaki S, Maeda H, Ishii Y, Kyuwa S, Kuroda Y and Yoshikawa Y. (2004) Behavioral alterations in response to fear-provoking stimuli and tranylcypramine induced by perinatal exposure to bisphenol A and nonylphenol in male rats. Environ Health Perspect, **112**: 1159-1164.

Newbold RR, Jefferson WN and Padilla-Banks E. (2009) Prenatal exposure to bisphenol a at environmentally relevant doses adversely affects the murine female reproductive tract later in life. Environ Health Perspect, **117**: 879-885.

Newbold RR, Jefferson WN and Padilla-Banks E. (2007). Long-term adverse effects of neonatal exposure to bisphenol A on the murine female reproductive tract. Reprod Toxicol, **24**(2): 253-258.

Nieminen P, Lindstrom-Seppa P, Mustonen AM, Mussalo-Rauhamaa H and Kukkonen JV. (2002) Bisphenol A affects endocrine physiology and biotransformation enzyme activities of the field vole (*Microtus agrestis*). Gen Comp Endocrinol, **126**: 183-189.

Nikaido Y, Danbara N, Tsujita-Kyutoku M, Yuri T, Uehara N and Tsubura A. (2005) Effects of prepubertal exposure to xenoestrogen on development of estrogen target organs in female CD-1 mice. In Vivo, **19**: 487-494.

Nikaido Y, Yoshizawa K, Danbara N, Tsujita-Kyutoku M, Yuri T, Uehara N and Tsubura A. (2004) Effects of maternal xenoestrogen exposure on development of the reproductive tract and mammary gland in female CD-1 mouse offspring. Reproductive Toxicology, **18**(6): 803-811.

Nishizawa H, Imanishi S and Manabe N. (2005) Effects of exposure in utero to bisphenol A on the expression of aryl hydrocarbon receptor, related factors, and xenobiotic metabolizing enzymes in murine embryos. J Reprod Dev, **51**: 593-605.

Nishizawa H, Manabe N, Morita M, Sugimoto M, Imanishi S and Miyamoto H. (2003) Effects of in utero exposure to bisphenol A on expression of RARalpha and RXRalpha mRNAs in murine embryos. J Reprod Dev, **49**: 539-545.

NTP. (1982) Carcinogenesis Bioassay of bisphenol A (CAS No. 80-05-7) in F344 Rats and B6C3F1 Mice (Feed Study). TR-215. Available at <http://ntp.niehs.nih.gov/go/14366>.

NTP. (1984) Bisphenol-A: Reproductive and Fertility Assessment in CD-1 Mice when Administered Via Subcutaneous Silastic Implants. National Toxicology Program. Report NTP-84-015; Order No. PB84-155308 (NTIS) 1-192.

NTP. (2008) Peer Review Report for the NTP Brief on Bisphenol A. Available at <http://cerhr.niehs.nih.gov/chemicals/bisphenol/bisphenol.html>.

NTP. (1985) Bisphenol A: reproduction and fertility assessment in CD-1 mice when administered in the feed. NTP-85-192. Research Triangle Park, NC. National Toxicology Program/National Institute of Environmental Health Sciences.

Olea N, Pulgar R, Perez P, Olea-Serrano F, Rivas A, Novillo-Fertrell A, Pedraza V, Soto AM and Sonnenschein C. (1996) Estrogenicity of resin-based composites and sealants used in dentistry. Environ Health Perspect, **104**: 298-305.

Pacchierotti F, Ranaldi R, Eichenlaub-Ritter U, Attia S and Adler ID. (2008) Evaluation of aneugenic effects of bisphenol A in somatic and germ cells of the mouse. Mutat Res, **651**: 64-70.

Padmanabhan V, Siefert K, Ransom S, Johnson T, Pinkerton J, Anderson L, Tao L, Kannan K. (2008) Maternal bisphenol-A levels at delivery: a looming problem? J Perinatol, **28**: 258-263.

Palanza PL, Howdeshell KL, Parmigiani S, and vom Saal FS. (2002). Exposure to a low dose of bisphenol A during fetal life or in adulthood alters maternal behavior in mice. Environmental Health Perspectives, **110** (Suppl 3): 415-422.

Park DH, Jang HY and Kim CI. (2005) Studies on the reproductive toxicant and blood metabolite in pups born after bisphenol A administration in pregnant mice. J Toxicol Public Health, **21**: 167-173.

Park DH, Jang HY and Park CK. (2004) Effect of bisphenol A administration on reproductive characteristic and blood metabolite in mice. J Anim Sci Technol, **46**: 957-966.

Partsch CJ and Sippell WG. (2001) Pathogenesis and epidemiology of precocious puberty. Effects of exogenous oestrogens. Hum Reprod Update, **7**: 292-302.

Patisaul HB and Polston EK. (2008) Influence of endocrine active compounds on the developing rodent brain. Brain Res Rev, **57**(2): 352-362.

Patisaul HB, Fortino AE and Polston EK. (2006) Neonatal genistein or bisphenol-A exposure alters sexual differentiation of the AVPV. Neurotoxicology and Teratology, **28**(1): 111-118.

Patisaul HB, Fortino AE and Polston EK. (2007) Differential disruption of nuclear volume and neuronal phenotype in the preoptic area by neonatal exposure to genistein and bisphenol-A. Neurotoxicology, **28**(1): 1-12.

Peretz J, Craig ZR and Flaws JA. (2012) Bisphenol A inhibits follicle growth and induces atresia in cultured mouse antral follicles independently of the genomic estrogenic pathway. Biol Reprod, **87**(3): 63.

Peretz J, Gupta RK, Singh J, Hernandez-Ochoa I and Flaws JA. (2011) Bisphenol A impairs follicle growth, inhibits steroidogenesis, and downregulates rate-limiting enzymes in the estradiol biosynthesis pathway. Toxicol Sci, **119**: 209-217.

Piersma AH, Verhoef A, Elvers LH and Wester P. (1998) Toxicity of compounds with endocrine activity in the OECD 421 reproductive toxicity screening test. Teratology, **57**: 243-244. Abstract No P82.

Qiao L, Zheng L and Cai D. (2010) Study on the levels of the bisphenol A, octylphenol, 4nonylphenol in serum of precocious girls. Wei Sheng Yan Jiu, **39**(1): 9-12.

Razzoli M, Valsecchi P and Palanza P. (2005) Chronic exposure to low doses bisphenol A interferes with pair-bonding and exploration in female Mongolian gerbils. Brain Res Bull, **65**: 249-254.

Richter CA, Birnbaum LS, Farabollini F, Newbold RR, Rubin BS, Talsness CE, Vandenberg JG, Walser-Kuntz DR and vom Saal FS. (2007) *In vivo* effects of bisphenol A in laboratory rodent studies. Reprod Toxicol, **24**(2): 199-224.

Rivera OE, Varayoud J, Rodriguez HA, Munoz-de-Toro M and Luque EH. (2011) Neonatal exposure to bisphenol A or diethylstilbestrol alters the ovarian follicular dynamics in the lamb. Reprod Toxicol, **32**: 304-312.

Rodriguez HA, Santambrosio N, Santamaria CG, Munoz-de-Toro M and Luque EH. (2010) Neonatal exposure to bisphenol A reduces the pool of primordial follicles in the rat ovary. Reprod Toxicol, **30**: 550-557.

Rubin BS, Murray MK, Damassa DA, King JC and Soto AM. (2001) Perinatal exposure to low doses of bisphenol A affects body weight, patterns of estrous cyclicity, and plasma LH levels. Environmental Health Perspectives, **109**(7): 675-680.

Russo J, Gusterson BA, Rogers AE, Russo IH, Wellings SR and van Zwieten MJ (1990) Comparative study of human and rat mammary tumorigenesis. Lab Invest, **62**: 244- 278.

Ryan BC, Hotchkiss AK, Crofton KM and Gray LE, Jr. (2010) In utero and lactational exposure to bisphenol A, in contrast to ethinyl estradiol, does not alter sexually dimorphic behavior, puberty, fertility, and anatomy of female LE rats. Toxicol Sci, **114**: 133-148.

Ryan BC and Vandenberg JG. (2002) Intrauterine position effects. Neurosci Biobehav Rev, **26**: 665-678.

Ryan BC and Vandenberg JG. (2006) Developmental exposure to environmental estrogens alters anxiety and spatial memory in female mice. Horm Behav, **50**: 85-93.

Saito D, Minamida G, Tani-Ishii N, Izukuri K, Ozono S, Koshika S, and Teranaka T. (2003) Effect of prenatal exposure to dental composite resin monomers on testosterone production in the rat testis. Environ Sci, **10**: 327-336.

Salian S, Doshi T and Vanage G. (2009) Neonatal exposure of male rats to bisphenol A impairs fertility and expression of Sertoli cell junctional proteins in the testis. Toxicology, **265**: 56-67.

Salian S, Doshi T and Vanage G. (2009) Perinatal exposure of rats to bisphenol A affects the fertility of male offspring. Life Sci, **85**: 742-752.

Savabieasfahani M, Kannan K, Astapova O, Evans NP and Padmanabhan V. (2006) Developmental programming: differential effects of prenatal exposure to bisphenol-a or methoxychlor on reproductive function. Endocrinology, **147**: 5956-5966.

Schank JC and Alberts JR. (2000) Effects of male rat urine on reproductive and developmental parameters in the dam and her female offspring. Horm Behav, **38**: 130-136.

Schönfelder G, Flick B, Mayr E, Talsness C, Paul M and Chahoud I. (2002) In utero exposure to low doses of bisphenol A lead to long-term deleterious effects in the vagina. Neoplasia, **4**(2): 98-102.

Schönfelder G, Friedrich K, Paul M and Chahoud I. (2004) Developmental effects of prenatal exposure to bisphenol a on the uterus of rat offspring. Neoplasia. **6**(5): 584-594.

Signorile PG, Spugnini EP, Mita L, Mellone P, D'Avino A, Bianco M, Diano N, Caputo L, Rea F, Viceconte R, Portaccio M, Viggiano E, Citro G, Pierantoni R, Sica V, Vincenzi B, Mita DG, Baldi F and Baldi A. (2010) Pre-natal exposure of mice to bisphenol A elicits an endometriosis-like phenotype in female offspring. Gen Comp Endocrinol, **168**: 318-325.

Singh M, McGinley JN and Thompson HJ. (2000) A comparison of the histopathology of premalignant and malignant mammary gland lesions induced in sexually immature rats with those occurring in the human. Lab Invest, **80**: 221-231.

Smith CC and Taylor HS. (2007) Xenoestrogen exposure imprints expression of genes (Hoxa10) required for normal uterine development. FASEB J, **21**(1): 239-46.

Smith KD, Rodriguez-Rigau LJ and Steinberger E. (1977) Relation between indices of semen analysis and pregnancy rate in infertile couples. Fertil Steril, **28**(12): 1314-1319.

Sohoni P and Sumpter JP. (1998) Several environmental oestrogens are also anti-androgens. J Endocrinol, **158**: 327-339.

Spencer F, Chi L, Zhu MX, Nixon E and Lemelle C. (2002) Uterine molecular responses to bisphenol A treatment before and after decidual induction in pseudopregnant rats. International Journal of Hygiene and Environmental Health, **204**(5-6): 353-357.

Steinberger E, Smith KD, Tcholakian RK and Rodriguez-Rigau LJ. (1979) Testosterone levels in female partners of infertile couples. Relationship between androgen levels in the woman, the male factor, and the incidence of pregnancy. Am J Obstet Gynecol, **133**(2): 133-138.

Steinmetz R, Brown NG, Allen DL, Bigsby RM and Ben-Jonathan N. (1997) The environmental estrogen bisphenol-A stimulates prolactin release *in vitro* and *in vivo*. Endocrinology, **138**: 1780-1786.

Steinmetz R, Mitchner NA, Grant A, Allen DL, Bigsby RM and Ben-Jonathan N. (1998) The xenoestrogen bisphenol A induces growth, differentiation, and c-fos gene expression in the female reproductive tract. Endocrinology, **139**(6): 2741-2747.

Stoker TE, Robinette CL, Britt BH, Laws SC and Cooper RL. (1999) Prepubertal exposure to compounds that increase prolactin secretion in the male rat: effects on the adult prostate. Biol Reprod, **61**: 1636-1643.

Sugiura-Ogasawara M, Ozaki Y, Sonta S, Makino T and Suzumori K. (2005) Exposure to bisphenol A is associated with recurrent miscarriage. Hum Reprod, **20**(8): 2325-2329.

Suiko M, Sakakibara Y and Liu MC. (2000) Sulfation of environmental estrogen-like chemicals by human cytosolic sulfotransferases. Biochem Biophys Res Commun, **267**: 80-84.

Susiarjo M, Hassold TJ, Freeman E and Hunt PA. (2007) Bisphenol A exposure in utero disrupts early oogenesis in the mouse. PLoS Genet, **12**;3(1): e5.

Susiarjo M, Sasson I, Mesaros C and Bartolomei MS. (2013) Bisphenol A exposure disrupts genomic imprinting in the mouse. PLoS Genet, **9**(4): e1003401.

Suzuki A, Sugihara A, Uchida K, Sato T, Ohta Y, Katsu Y, Watanabe H and Iguchi T. (2002) Developmental effects of perinatal exposure to bisphenol-A and diethylstilbestrol on reproductive organs in female mice. Reprod Toxicol, **16**(2): 107-116.

Tachibana T, Wakimoto Y, Nakamuta N, Phichitraslip T, Wakitani S, Kusakabe K, Hondo E and Kiso Y. (2007) Effects of bisphenol A (BPA) on placentation and survival of the neonates in mice. J Reprod Dev, **53**(3): 509-514.

Takagi H, Shibutani M, Masutomi N, Uneyama C, Takahashi N, Mitsumori K and Hirose M. (2004) Lack of maternal dietary exposure effects of bisphenol A and nonylphenol during the critical period for brain sexual differentiation on the reproductive/endocrine systems in later life. Archives of Toxicology, **78**(2): 97-105.

Takahashi O and Oishi S. (2003) Testicular toxicity of dietarily or parenterally administered bisphenol A in rats and mice. Food Chem Toxicol, **41**: 1035-1044.

Takai Y, Tsutsumi O, Ikezuki Y, Kamei Y, Osuga Y, Yano T and Taketani Y. (2001) Preimplantation exposure to bisphenol-A advances postnatal development. Reproductive Toxicology, **15**: 71-74.

Takashima Y, Tsutsumi M, Sasaki Y, Tsujiuchi T, Kusuoka O and Konishi Y. (2001) Lack of effects of bisphenol A in maternal rats or treatment on response of their offspring to N-nitrosobis(2-hydroxypropyl)amine. J Toxicol Pathol, **14**: 87-98.

Takeuchi T and Tsutsumi O. (2002) Serum bisphenol a concentrations showed gender differences, possibly linked to androgen levels. Biochem Biophys Res Commun, **291**(1): 76-78.

Takeuchi T, Tsutsumi O, Ikezuki Y, Takai Y and Taketani Y. (2004) Positive relationship between androgen and the endocrine disruptor, bisphenol A, in normal women and women with ovarian dysfunction. Endocr J, **51**(2): 165-169.

Talsness C, Fialkowski O, Gericke C, Merker HJ and Chahoud I. (2000) The effects of low and high doses of bisphenol A on the reproductive system of female and male rat offspring. Congenit Anom, **40**: S94-S107.

Tan BL, Kassim NM and Mohd MA. (2003) Assessment of pubertal development in juvenile male rats after sub-acute exposure to bisphenol A and nonylphenol. Toxicol Lett, **143**: 261-270.

Tan W, Huang H, Wang Y, Wong TY, Wang CC and Leung LK. (2013) Bisphenol A differentially activates protein kinase C isoforms in murine placental tissue. Toxicol Appl Pharmacol, **269**(2): 163-168.

Thayer KA and Foster PM. (2007) Workgroup Report: National Toxicology Program workshop on hormonally induced reproductive tumors-relevance of rodent bioassays. Environ Health Perspect, **115**: 1351-1356 [see also <http://ntp.niehs.nih.gov/go/18592>].

Thompson HJ and Singh M. (2000) Rat models of premalignant breast disease. J Mammary Gland Biol Neoplasia, **5**: 409-420.

Thuillier R, Manku G, Wang Y and Culty M. (2009) Changes in MAPK pathway in neonatal and adult testis following fetal estrogen exposure and effects on rat testicular cells. Microsc Res Tech, **72**: 773-786.

Timms BG, Howdeshell KL, Barton L, Bradley S, Richter CA and vom Saal FS. (2005) Estrogenic chemicals in plastic and oral contraceptives disrupt development of the fetal mouse prostate and urethra. Proc Natl Acad Sci, **102**: 7014-7019.

Tinwell H, Haseman J, Lefevre PA, Wallis N and Ashby J. (2002) Normal sexual development of two strains of rat exposed *in utero* to low doses of bisphenol A. Toxicol Sci, **68**: 339-348.

Tinwell H, Joiner R, Pate I, Soames A, Foster J and Ashby J. (2000) Uterotrophic activity of bisphenol-A in the immature mouse. Reg Toxicol Pharmacol, **32**: 118-126.

Tiwari D and Vanage G. (2013) Mutagenic effect of Bisphenol A on adult rat male germ cells and their fertility. Reprod Toxicol, **40**: 60-68.

Toda K, Miyaura C, Okada T and Shizuta Y. (2002) Dietary bisphenol A prevents ovarian degeneration and bone loss in female mice lacking the aromatase gene (Cyp19). European Journal of Biochemistry, **269**(8): 2214-22.

Trapphoff T, Heiligentag M, El Hajj N, Haaf T and Eichenlaub-Ritter U. (2013) Chronic exposure to a low concentration of bisphenol A during follicle culture affects the epigenetic status of germinal vesicles and metaphase II oocytes. Fertil Steril. **100**(6): 1758-1767.

Trichopoulos D, Adami HO, Ekblom A, Hsieh CC and Laggiou P. (2008) Early life events and conditions and breast cancer risk: from epidemiology to etiology. Int J Cancer, **122**: 481-485.

Tyl RW, Myers CB, Marr MC, Sloan CS, Castillo NP, Veselica MM, Seely JC, Dimond SS, Van Miller JP, Shiotsuka RN, Beyer D, Hentges SG and Waechter JM Jr. (2008) Two-generation reproductive toxicity study of dietary bisphenol A in CD-1 (Swiss) mice. Toxicol Sci, **104**: 362-384.

Tyl RW, Myers CB, Marr MC, Thomas BF, Keimowitz AR, Brine DR, Veselica MM, Fail PA, Chang TY, Seely JC, Joiner RL, Butala JH, Dimond SS, Cagen SZ, Shiotsuka RN, Stropp GD and Waechter JM. (2002) Three-generation reproductive toxicity study of dietary bisphenol A in CD Sprague-Dawley rats. Toxicological Sciences, **68**(1): 121-146.

US EPA. (2007) Integrated Summary Report for Validation of a Test Method for Assessment of Pubertal Development and Thyroid Function in Juvenile Female Rats as a Potential Screen in the Endocrine Disruptor Screening Program Tier-1 Battery. US EPA Office of Science Coordination and Policy and Office of Research and Development, Washinton D.C., October 2007. Available at http://www.epa.gov/endo/pubs/assayvalidation/pubertal_female_pr.htm

Vandenberg LN, Chahoud I, Heindel JJ, Padmanabhan V, Paumgarten FJ and Schoenfelder G. (2010) Urinary, circulating, and tissue biomonitoring studies indicate widespread exposure to bisphenol A. Environ Health Perspect, **118**: 1055-1070.

Vandenberg LN, Hauser R, Marcus M, Olea N and Welshons WV. (2007) Human exposure to bisphenol A (Bisphenol A). Reprod Toxicol, **24**: 139-177.

Vandenberg LN, Maffini MV, Schaeberle CM, Ucci AA, Sonnenschein C, Rubin BS and Soto AM. (2008) Perinatal exposure to the xenoestrogen bisphenol-A induces mammary intraductal hyperplasias in adult CD-1 mice. Reprod Toxicol, **26**(3-4): 210-219.

Vandenberg LN, Maffini MV, Wadia PR, Sonnenschein C, Rubin BS and Soto AM. (2007). Exposure to environmentally relevant doses of the xenoestrogen bisphenol-A alters development of the fetal mouse mammary gland. Endocrinology, **148**(1): 116-127.

Vandenbergh JG. (1989) Coordination of social signals and ovarian function during sexual development. J Anim Sci, **67**: 1841-1847.

Varayoud J, Ramos JG, Bosquiazzo VL, Lower M, Munoz-de-Toro M and Luque EH. (2011) Neonatal exposure to bisphenol A alters rat uterine implantation-associated gene expression and reduces the number of implantation sites. Endocrinology, **152**: 1101-1111.

Varayoud J, Ramos JG, Bosquiazzo VL, Munoz-de-Toro M and Luque EH. (2008) Developmental exposure to bisphenol A impairs the uterine response to ovarian steroids in the adult. Endocrinology, **149**: 5848-5860.

Veiga-Lopez A, Luense LJ, Christenson LK and Padmanabhan V. (2013) Developmental programming: gestational bisphenol-A treatment alters trajectory of fetal ovarian gene expression. Endocrinology, **154**(5):1873-1884.

Villalobos M, Olea N, Brotons JA, Olea-errano MF, Ruiz de Almodovar JM and Pedraza V. (1995) The E-screen assay: a comparison of different MCF7 cell stocks. Environ Health Perspect, **103**: 844-850.

vom Saal FS, Akingbemi BT, Belcher SM, Birnbaum LS, Crain DA, Eriksen M, Farabollini F, Guillette LJ Jr, Hauser R, Heindel JJ, Ho SM, Hunt PA, Iguchi T, Jobling S, Kanno J, Keri RA, Knudsen KE, Laufer H, LeBlanc GA, Marcus M, McLachlan JA, Myers JP, Nadal A, Newbold RR, Olea N, Prins GS, Richter CA, Rubin BS, Sonnenschein C, Soto AM, Talsness CE, Vandenberg JG, Vandenberg LN, Walser-Kuntz DR, Watson CS, Welshons WV, Wetherill Y and Zoeller RT. (2007) Chapel Hill bisphenol A expert panel consensus statement: integration of mechanisms, effects in animals and potential to impact human health at current levels of exposure. Reprod Toxicol, **24**: 131-138.

vom Saal FS and Hughes C. (2005) An extensive new literature concerning low-dose effects of bisphenol A shows the need for a new risk assessment. Environ Health Perspect, **113**: 926-933.

vom Saal FS and Sheehan DM. (1998) Challenging risk assessment traditional toxicological testing cannot detect adverse effects of very low doses of environmental chemicals. Forum Appl Res Public Policy, **13**: 1-9.

Wadia PR, Vandenberg LN, Schaeberle CM, Rubin BS, Sonnenschein C and Soto AM. (2007) Perinatal bisphenol A exposure increases estrogen sensitivity of the mammary gland in diverse mouse strains. Environmental Health Perspectives, **115**(4): 592-598.

Willhite CC, Ball GL and McLellan CJ. (2008) Derivation of a bisphenol A oral reference dose (RfD) and drinking-water equivalent concentration. J Toxicol Environ Health B Crit Rev, **11**: 69-146.

Wistuba J, Brinkworth MH, Schlatt S, Chahoud I and Nieschlag E. (2003) Intrauterine bisphenol A exposure leads to stimulatory effects on Sertoli cell number in rats. Environ Res, **91**: 95-103.

Wolff MS, Britton JA, Boguski L, Hochman S, Maloney N, Serra N, Liu Z, Berkowitz G, Larson S and Forman J. (2008) Environmental exposures and puberty in inner-city girls. Environ Res, **107**(3): 393-400.

Wolff MS, Teitelbaum SL, Pinney SM, Windham G, Liao L, Biro F, Kushi LH, Erdmann C, Hiatt RA, Rybak ME, Calafat AM and Breast Cancer and Environment Research Centers. (2010) Investigation of relationships between urinary biomarkers of phytoestrogens, phthalates, and phenols and pubertal stages in girls. Environ Health Perspect, **118**(7):1039-1046.

Working PK. (1988) Male reproductive toxicology: comparison of the human to animal models. Environ Health Perspect, **77**: 37-44.

Xi W, Lee CK, Yeung WS, Giesy JP, Wong MH, Zhang X, Hecker M and Wong CK. (2011) Effect of perinatal and postnatal bisphenol A exposure to the regulatory circuits at the hypothalamus-pituitarygonadal axis of CD-1 mice. Reprod Toxicol, **31**: 409-417.

Xiao S, Diao H, Smith MA, Song X and Ye X. (2011) Preimplantation exposure to bisphenol A (BPA) affects embryo transport, preimplantation embryo development, and uterine receptivity in mice. Reprod Toxicol, **32**: 434-441.

Xu J, Osuga Y, Yano T, Morita Y, Tang X, Fujiwara T, Takai Y, Matsumi H, Koga K, Taketani Y and Tsutsumi O. (2002) Bisphenol A induces apoptosis and G2-to-M arrest of ovarian granulosa cells. Biochem Biophys Res Commun, **292**(2): 456-462.

Yamada H, Furuta I, Kato EH, Kataoka S, Usuki Y, Kobashi G, Sata F, Kishi R and Fujimoto S. (2002) Maternal serum and amniotic fluid bisphenol A concentrations in the early second trimester. Reprod Toxicol, **16**(6): 735-739.

Yang M, Kim SY, Chang SS, Lee IS and Kawamoto T. (2000) Immature rat uterotrophic assay of bisphenol A. Environ Health Perspect, **108**(12): 1147-1150.

Yang M, Kim SY, Chang SS, Lee IS and Kawamoto T. (2006). Urinary concentrations of bisphenol A in relation to biomarkers of sensitivity and effect and endocrine-related health effects. Environ Mol Mutagen, **47**(8): 571-578.

Ye X, Kuklennyik Z, Needham LL and Calafat AM. (2006) Measuring environmental phenols and chlorinated organic chemicals in breast milk using automated on-line column-switching-high performance liquid chromatography-isotope dilution tandem mass spectrometry. J Chromatogr B Analyt Technol Biomed Life Sci, **831**: 110-115.

Yigit F and Daglioglu S. (2010) Histological changes in the uterus of the hens after embryonic exposure to bisphenol A and diethylstilbestrol. Protoplasma, **247**: 57-63.

Yoshida M, Shimomoto T, Katashima S, Watanabe G, Taya K, Maekawa A. (2004) Maternal exposure to low doses of bisphenol a has no effects on development of female reproductive tract and uterine carcinogenesis in Donryu rats. The Journal of Reproduction and Development, **50**(3): 349-360.

Zacharewski TR and Matthews JB. (2000) Comparison of the interactions of bisphenol-A and its metabolite bisphenol-A glucuronide with oestrogen receptors α and β . Toxicologist, 54. Abstracts of papers: 1795.

Zhang HQ, Zhang XF, Zhang LJ, Chao HH, Pan B, Feng YM, Li L, Sun XF and Shen W. (2012) Fetal exposure to bisphenol A affects the primordial follicle formation by inhibiting the meiotic progression of oocytes. Mol Biol Rep, **39**: 5651-5657.

Zhang XF, Zhang LJ, Feng YN, Chen B, Feng YM, Liang GJ, Li L and Shen W. (2012) Bisphenol A exposure modifies DNA methylation of imprint genes in mouse fetal germ cells. Mol Biol Rep, **39**: 8621-8628.

Zhou W, Liu J, Liao L, Han S and Liu J. (2008) Effect of bisphenol A production in rat ovarian theca-interstitial and granulosa cells. Mol Cell, **283**(1-2):12-18.

Ziv-Gal A, Craig ZR, Wang W and Flaws JA. (2013) Bisphenol A inhibits cultured mouse ovarian follicle growth partially via the aryl hydrocarbon receptor signaling pathway. Reprod Toxicol, **42**: 58-67.